



PTTC

Prevention Technology Transfer Center Network  
Funded by Substance Abuse and Mental Health Services Administration



# CANNABIS GLOSSARY

## TERMS BY TOPIC AREA

**CREATED BY: NW PTTC HHS REGION 10**  
NORTHWEST PREVENTION TECHNOLOGY TRANSFER CENTER

*LAST UPDATED SEPTEMBER 2019*

## **Acknowledgements:**

This document was created in collaboration with the Prevention Technology Transfer Center Network Marijuana Risk Working Group, comprised of the following PTTC's:

- New England PTTC HHS Region 1
- Great Lakes PTTC HHS Region 5
- Pacific Southwest PTTC HHS Region 9
- Northwest PTTC HHS Region 10
- National American Indian and Alaska Native PTTC
- National Hispanic and Latino PTTC
- PTTC Network Coordinating Office

The Prevention Technology Transfer Center Network is funded by the Substance Abuse and Mental Health Services Administration.

### Disclaimer

*This document is in addendum to the National Environmental Health Association's (NEHA) Cannabis 101 glossary. This document separates cannabis definitions by topic area for prevention providers.*

# CANNABIS HORTICULTURE

## Growing Techniques

**Aeroponics** A method of growing cannabis where the plant roots are positioned in an enclosed space and exposed to air frequently (U.S. National Park Service, 2018).

**Hydroponics** A method of growing edible and ornamental plants, such as cannabis, in a solution of water and dissolved nutrients without soil (Mugundhan, Soundaria, Maheswari, & Gopal, 2011).

**Pesticide** Chemical or organic substances that might be used on cannabis plants to protect against insects and/or fungus. Due to the Schedule I status of cannabis, as well as the lack of research and understanding, there are no federal regulations on the application of pesticides on cannabis. Some pesticides commonly used on cannabis can be highly toxic.

**Trim** When the plant has been harvested, a grower will trim the plant of its leaves, placing focus on the remaining buds (Colorado Department of Public Health and Environment, 2016).

## Crossbreeding

**Cultivar** Plant strains that result from the process of crossbreeding and genetic stabilization to express desired traits. Traits are often vague and unsubstantiated (Hazekamp, Tejkalová, & Papadimitriou, 2016).

**Hybrid** The result of a cross between two genetically different strains of cannabis (VandenBos, 2007).

## Plant Anatomy

**Flower** Known as the hairy or sticky parts of the plant which are harvested for consumption in various products, also known as the reproductive organs of the plant (Colorado Department of Public Health and Environment, 2016). Contain the most THC (United Nations Office on Drugs and Crime, 2009).

**Life Cycle Information** Cannabis plants go through two distinct cycles in their lifetime:

1. Vegetative stage (when the plant is actively growing) and;
2. Flowering stage (when the plant is focusing most of its energy on producing flowers).

When the plant's light exposure falls at or below 12 hours daily, it triggers the flowering cycle (Potter, 2014).

**Terpene** Fragrant oils secreted by the flowers that give cannabis strains their scent and flavor. They also may contribute anxiolytic, antibacterial, anti-inflammatory, and sedative effects by binding to different receptors in the brain (Booth, Page, & Bohlmann, 2017).

**Trichome** Fine, hairy-like projection from the epidermal cells of a plant which contain the most cannabinoids (Newton, 2013).



Figure 1. Cannabis Sativa plant. © 1995-2012 Missouri Botanical Garden

# PRODUCTION PROCESSES

*To harvest, dry, cure, trim and separate parts of the marijuana plant by manual or mechanical means (Commonwealth of Massachusetts, 2018).*

**Cultivator** An entity licensed to cultivate, process, and package cannabis, to deliver cannabis to cannabis establishments, but not to consumers (Commonwealth of Massachusetts, 2018).

**Decarboxylation** The process of heating tetrahydrocannabinolic acid (THCA) to transform it to THC (Iffland, Carus, & Grotenhermen, 2016).

**Homogeneity** Refers to how evenly distributed the cannabis extract is through a product. For example, if 10% of the infused portion of the cannabis product contains less than 20% of the total THC contained in the product, it is homogenous. Homogeneity allows users assurance that they are consuming a consistently prepared edible.

**Manufacturing** To compound, blend, extract, infuse, or otherwise make or prepare a cannabis product (Commonwealth of Massachusetts, 2018).

**Residual solvent** A volatile organic compound used in the manufacture of a cannabis product that is not completely removed by practical manufacturing techniques (Commonwealth of Massachusetts, 2018).

**Seed-to-sale** Everything that happens to an individual cannabis plant from seed and cultivation, through growth, harvest, and preparation of cannabis-infused products, if any, to final sale of finished products (Commonwealth of Massachusetts, 2018).

## Types of Extraction

**Extraction** The different processes by which cannabinoids within the plant can be extracted for use. These processes include alcohol extraction, butane hash oil extraction, etc. (Barrus et al., 2016).

**Alcohol Extraction** Process by which the cannabis plant is stripped of essential oils and trichomes using ethyl or isopropyl alcohol. Once the extra plant material is filtered out and the remaining alcohol is evaporated, sticky hash oil remains (PotGuide, 2018).

**Butane Hash Oil Extraction** Process of putting shredded or ground up plant material into a glass, metal, or plastic pipe, with a filter on one end and then the butane is forced in the open end of the pipe. As the butane goes through the pipe, the THC within the plant material is extracted and forced through the filter usually into a receptacle. The receptacle is then heated to burn off the remaining butane creating a butane gas (U.S. Drug Enforcement Administration, 2014).

**Close-looped extraction** A method of chemical extraction that reuses the solvent rather than dispersing it into the air. This method is considered safer than “open-blasting” and is currently required for all legal concentrate production in Colorado (Barach, 2019).

**CANNABINOID** *Several chemical compounds produced by marijuana plants that have medical or psychotropic effects*  
(Commonwealth of Massachusetts, 2018)

**Agonist** A drug or other chemical agent that binds to a receptor and produces a physiological effect, typically one similar to that of the body’s own neurotransmitter at that receptor (VandenBos, 2007).

**Agonist-Antagonist** A substance that simultaneously binds to multiple receptors, mimicking the action of the body’s natural neurotransmitter at one type of receptor and inhibiting that action at another, different type of receptor (VandenBos, 2007).

**Antagonist** A drug or other chemical agent that inhibits the action of another substance (VandenBos, 2007).

**Cannabichromene (CBC)** The *second most prevalent cannabinoid* found in the cannabis plant. Main pharmacological characteristics: anti-inflammatory, antifungal, antibiotic, and analgesic (United Nations Office on Drugs and Crime, 2009).

- Cannabinoid 1 (CB1) and Cannabinoid 2 (CB2) receptors** Receptors that respond to cannabinoid drugs (e.g., THC, THCA).
- CB1 receptors characterized for biological responses. Nervous system responses to  $\Delta$ 9-THC and other cannabinoid receptor agonists include therapeutically beneficial effects of analgesia, attenuation of the nausea and vomiting in cancer chemotherapy, appetite stimulation in wasting syndromes, and decreased intestinal motility.
  - CB2 receptors are expressed by immune cells located either outside or within the brain. When activated these receptors can modulate immune cell migration and cytokine release (Abood et al., 2019).

**Cannabidoil (CBD)** The *second most commonly used* cannabinoid found in the cannabis plant. Main pharmacological characteristics: anxiolytic, anti-inflammatory, antipsychotic, antispasmodic, analgesic (United Nations Office on Drugs and Crime, 2009).

**Cannabinoid profile** The amount of all cannabinoids in the plant (Commonwealth of Massachusetts, 2018).

**Cannabinol (CBN)** CBN is a degradation product of THC (i.e., it does not occur naturally but is an artefact). Main pharmacological characteristics: sedative, anticonvulsant, antibiotic, anti-inflammatory (United Nations Office on Drugs and Crime, 2009).

**Potency** The strength of a drug. In other words, the indirect measure of the amount of a cannabinoid in a sample of the cannabis (Newton, 2013).

**Strain** Breeds of cannabis that have been manipulated or cloned to enhance certain properties or to increase market value (BC Partners for Mental Health and Addictions Information, 2009).

**Tetrahydrocannabinol (THC)** Also known as or delta-9-tetrahydrocannabinol. THC is usually present at a low level in fresh plant material and is considered to be derived artificially from THCA by decarboxylation during storage and consumption. Main pharmacological characteristics: euphoriant, anti-inflammatory, analgesic, and anti-emetic (United Nations Office on Drugs and Crime, 2009).

**Tetrahydrocannabinolic Acid (THCA)** Precursor to THC. Main pharmacological characteristics: antibacterial and antibiotic (United Nations Office on Drugs and Crime, 2009).

## PRODUCT TYPE

**Concentrate** Refers to any material created by refining cannabis flowers, such as hash, dry sieve, and hash oils. Concentrates or extracts have much higher potency (Carlini, Garrett, & Harwick, 2017; Sagar, Lambros, Dahlgren, Smith, & Gruber, 2018).

**Edible** Cannabis products that are orally consumed. These products can contain THC, CBD, or a combination of both. Common edible products include cookies, brownies, candies, gummies, chocolates, beverages, or homemade goods (Colorado Department of Public Health and Environment, 2016).

**Hemp** The plant of the genus *Cannabis* or any part of the plant, whether growing or not, with a delta-9-tetrahydrocannabinol concentration that does not exceed 0.3% on a dry weight basis of any part of the plant of that genus (Commonwealth of Massachusetts, 2018).

**Marijuana** A slang term for the dried flowers, leaves, stems, and seeds of the cannabis plant (Government of Canada, 2019).

**Recreational Substance Use** Any substance, in this case marijuana, that is used in a nontherapeutic manner for its effects on motor, sensory, or cognitive activities or on emotional state (VandenBos, 2007).

**Retailer** An entity licensed to purchase and deliver cannabis and cannabis products from cannabis establishments and to deliver, sell, or otherwise transfer cannabis and cannabis products to cannabis establishments and consumers (Commonwealth of Massachusetts, 2018).

**Synthetic cannabis** (e.g., K2/Spice) Various manmade chemicals that some people might use as an alternative to cannabis (Centers for Disease Control and Prevention, 2018).

**Tincture** Cannabinoids are extracted into an alcohol or glycerin base, then dropped or sprayed orally (BC Partners for Mental Health and Addictions Information, 2009).

**Topical** Cannabis products such as lotions that are applied to the skin (BC Partners for Mental Health and Addictions Information, 2009).

## Medical Specific Product Types


**Dronabinol (Marinol and Syndros)** A synthetic THC pharmaceutical approved in the U.S. for the reduction of nausea and vomiting in cancer chemotherapy and increased appetite in HIV wasting disease (FDA, 2019).

**Nabilone (Cesamet)** A synthetic THC pharmaceutical approved in the U.S. for the treatment of the nausea and vomiting associated with cancer chemotherapy (FDA, 2019).

**Schedule 1 Drug** Drugs, substances, or chemicals that have no currently accepted medical use and have a high potential for abuse. This federal list is established by the U.S. Drug Enforcement Administration (n.d.).

**CANNABIS** *Any of three related plant species (*Cannabis sativa*, *C. indica*, or *C. ruderalis*) whose dried flowering, fruiting tops, or leaves are widely used as a recreational drug (i.e., marijuana). The principal psychoactive agent in these plants, THC, is concentrated in the resin, most of which is in the plants' flowering tops (VandenBos, 2007).*

## Cannabis Sativa vs. Cannabis Indica



- Cannabis Sativa is an annual herbaceous plant, characterized by tall growth, wide-spaced branches, and long, thin leaves (Hazekamp, Tejkalová, & Papadimitriou, 2016). Sativa's key psychoactive constituent is  $\Delta^9$ -tetrahydrocannabinol [(D9-THC), Bonini, Permoli, Tambaro, Kumar, Maccarinelli, Memo, & Mastinu, 2018).
- Cannabis Indica is characterized by short, bushy plants with broad leaves (Hazekamp, Tejkalová, & Papadimitriou, 2016).

Figure 2. Cannabis Sativa and Cannabis Indica Plant (McPartland, 2017).

### Other names for Cannabis

- Marijuana
- Ganja
- Pot
- Bud
- Mary Jane
- Hashish

For more information on slang terms for cannabis, please refer to the DEA report which can be accessed at <https://www.dea.gov/sites/default/files/resource-center/Publications/Intel%20Products/DIR-020-17%20Drug%20Slang%20Code%20Words.pdf>.

# PRODUCT USE

**Dosage/dosing** Individualized amount of cannabinoids within products. Dosing depends on titration, which is the process of increasing medication amounts until the desired effect is achieved (Government of Canada, 2019).

**Medical use of cannabis** The acquisition, cultivation, possession, processing (including development of related products such as food, tinctures, aerosols, oils, or ointments), transfer, transportation, sale, distribution, dispensing, or administration of cannabis for the benefit of qualifying patients in the treatment of debilitating medical conditions or the symptoms thereof (Commonwealth of Massachusetts, 2018).

**Route of administration** The process in which a chemical enters the human body, travels into organs and tissues, and is then metabolized into the body before elimination. The route of administration of cannabis has different effects. Inhalation of cannabis takes just minutes to produce effects, while the initial effects of cannabis-infused food products are not felt for 30–90 minutes. Gender, age, and weight can impact the rate of absorption and digestion of cannabis products (Barrus et al., 2016).

## Recreational Types of Use

**Dab/dabbing** A method where a “dab” (small amount) of cannabis concentrate is placed on a preheated surface, creating concentrated cannabis vapor to be inhaled (Colorado Department of Public Health and Environment, 2016).

**Electronic smoking device (vaporizer/e-cigarette)** A vaporizing device with a rechargeable battery that heats material such as cannabis flower (bud) or liquids containing THC or nicotine to produce vapor for inhalation. Used as an alternative to smoking cannabis or tobacco (Colorado Department of Public Health and Environment, 2016).

**Vaping** A method of cannabis use in cannabis vapor where, rather than smoke, is inhaled. Cannabis flower or concentrate is heated in a vaporizing device (vaporizer) to a temperature

below the point of combustion to produce vapor (Colorado Department of Public Health and Environment, 2016).

**Vaporizer** A different way to consume cannabis. A device that heats the plant material until the active ingredients are released as vapor (BC Partners for Mental Health and Addictions Information, 2009).

## PRODUCT EFFECTS

**Endocannabinoid System (ECS)** The ECS consists of cannabinoid receptors (e.g., CB1R, CB2R), the endogenous ligands that bind to these cannabinoid receptors [e.g., anandamide and 2-arachidonoylglycerol (2-AG)], and enzymes for their biosynthesis and degradation [e.g., fatty acid amide hydrolase (FAAH) and monoacylglycerol lipase (MAGL)] (Chye, Christensen, Solowij, & Yücel, 2019).

**Mycotoxin** A secondary metabolite of a microfungus that is capable of causing death or illness in humans and other animals. They include aflatoxin B1, aflatoxin B2, aflatoxin G1, aflatoxin G2, and ochratoxin A (Commonwealth of Massachusetts, 2018).

**Pharmokinetic/Pharmacodynamics** The absorption, distribution, metabolism, and excretion of a drug and the effect the drug has on the body (Colorado Department of Public Health and Environment, 2016).

## OTHER TERMS

**Accessories** Equipment, products, devices, or materials of any kind that are intended or designed for use in planting, propagating, cultivating, growing, harvesting, manufacturing, compounding, converting, producing, processing, preparing, testing, analyzing, packaging, repackaging, storing, containing, ingesting, inhaling, or otherwise introducing cannabis into the human body (Commonwealth of Massachusetts, 2018).

**Dispensary** A store that is registered to acquire, cultivate, process, transfer, transport, sell, distribute, dispense, and/or administer cannabis

products or related supplies (Commonwealth of Massachusetts, 2018).

**Packaging** Any container or wrapper that might be used for enclosing or containing any cannabis goods for final retail sale. “Package” and “packaging” do not include a shipping container or outer wrapping used solely for the transport of cannabis goods in bulk quantity to a licensee.

**ISO 17025** General requirements specified by the International Organization for Standardization/International Electrotechnical Commission (ISO/IEC) for the competence of testing and calibration laboratories.

## REFERENCES AND ADDITIONAL SOURCES OF INFORMATION

- Abood, M., Alexander, S. P. H., Barth, F., Bonner, T. I., Bradshaw, H., Cabral, G., ... Ross, R. A. (2019). Cannabinoid receptors (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database. *IUPHAR/BPS Guide to Pharmacology CITE*, 2019(4). <https://doi.org/10.2218/gtopdb/F13/2019.4>
- Barach, P. (2019). What is Closed-Loop Extraction? Retrieved September 20, 2019, from PotGuide website: <https://potguide.com/pot-guide-marijuana-news/article/what-is-closed-loop-extraction/>
- Barrus, D., Capogrossi, K., Cates, S., Gourdet, C., Peiper, N., Novak, S., ... Wiley, J. (2016). Tasty THC: Promises and Challenges of Cannabis Edibles. In *Methods report (RTI Press)*. <https://doi.org/10.3768/rtipress.2016.op.0035.1611>
- BC Partners for Mental Health and Addictions Information. (2009). Cannabis. *Visions*, 5(4).
- Booth, J. K., Page, J. E., & Bohlmann, J. (2017). Terpene synthases from *Cannabis sativa*. *PLoS ONE*, 12(3). <https://doi.org/10.1371/journal.pone.0173911>
- Carlini, B. H., Garrett, S. B., & Harwick, R. M. (2017). Beyond joints and brownies: Marijuana concentrates in the legal landscape of WA State. *The International Journal on Drug Policy*, 42, 26–29. <https://doi.org/10.1016/j.drugpo.2017.01.004>
- Centers for Disease Control and Prevention. (2018). Synthetic cannabinoids: What are they? What are their effects? Retrieved from <https://www.cdc.gov/nceh/hsb/chemicals/sc/default.html>
- Chye, Y., Christensen, E., Solowij, N., & Yücel, M. (2019). The Endocannabinoid System and Cannabidiol's Promise for the Treatment of Substance Use Disorder. *Frontiers in Psychiatry*, 10, 63. <https://doi.org/10.3389/fpsy.2019.00063>
- Colorado Department of Public Health and Environment. (2016). *Monitoring Health Concerns Related to Marijuana in Colorado: 2016 Changes in Marijuana Use Patterns, Systematic Literature Review, and Possible Marijuana-Related Health Effects*. Retrieved from [https://localtvkdv.files.wordpress.com/2017/01/monitoring\\_health\\_concerns\\_report\\_final.pdf](https://localtvkdv.files.wordpress.com/2017/01/monitoring_health_concerns_report_final.pdf)
- Commonwealth of Massachusetts. 935 CMR 500.00: *Adult use of marijuana*. , Pub. L. No. 2016 (2018).
- FDA. (2019). FDA Regulation of Cannabis and Cannabis-Derived Products: Questions and Answers | FDA. Retrieved September 20, 2019, from <https://www.fda.gov/news-events/public-health-focus/fda-regulation-cannabis-and-cannabis-derived-products-questions-and-answers#us>
- Government of Canada. (2019). About cannabis. Retrieved September 20, 2019, from Government of Canada website: <https://www.canada.ca/en/health-canada/services/drugs-medication/cannabis/about.html>
- Hazekamp, A., Tejkalová, K., & Papadimitriou, S. (2016). Cannabis: From Cultivar to Chemovar II - A Metabolomics Approach to Cannabis Classification. *Cannabis and Cannabinoid Research*, 1(1), 202–215. <https://doi.org/10.1089/can.2016.0017>

- Iffland, K., Carus, M., & Grotenhermen, F. (2016). *Decarboxylation of Tetrahydrocannabinolic acid (THCA) to active THC*. Hürth (Germany).
- McPartland, J. M. (2017). Cannabis sativa and cannabis indica versus “sativa” and “indica.” In *Cannabis sativa L. - Botany and Biotechnology* (pp. 101–121). [https://doi.org/10.1007/978-3-319-54564-6\\_4](https://doi.org/10.1007/978-3-319-54564-6_4)
- Mugundhan, R. M., Soundaria, M., Maheswari, V., & Gopal, P. (2011). Hydroponics - A Novel Alternative For Geoponic Cultivation Of Medicinal Plants And Food Crops. *International Journal of Pharma and Bio Sciences*, 2(2).
- Newton, D. E. (2013). *Marijuana : a reference handbook*. ABC-CLIO.
- PotGuide. (2018). Alcohol extraction. Retrieved September 20, 2019, from Marijuana Glossary website: <https://www.coloradopotguide.com/marijuana-glossary/alcohol-extraction/>
- Potter, D. J. (2014). A review of the cultivation and processing of cannabis (*Cannabis sativa L.*) for production of prescription medicines in the UK. *Drug Testing and Analysis*, 6(1–2), 31–38. <https://doi.org/10.1002/dta.1531>
- Sagar, K. A., Lambros, A. M., Dahlgren, M. K., Smith, R. T., & Gruber, S. A. (2018). Made from concentrate? A national web survey assessing dab use in the United States. *Drug and Alcohol Dependence*, 190, 133–142. <https://doi.org/10.1016/j.drugalcdep.2018.05.022>
- U.S. Drug Enforcement Administration. (2014). What you should know about Marijuana Concentrates. Retrieved September 20, 2019, from DEA website: [http://www.lacrossecpn.org/uploads/1/9/4/6/19462399/marijuana-concentrates\\_brochure.pdf](http://www.lacrossecpn.org/uploads/1/9/4/6/19462399/marijuana-concentrates_brochure.pdf)
- U.S. National Park Service. (2018). Hydroponics: A Better Way to Grow Food. Retrieved September 20, 2019, from <https://www.nps.gov/articles/hydroponics.htm>
- United Nations Office on Drugs and Crime. (2009). *Recommended methods for identification and analysis of cannabis and cannabis products: Manual for Use by National Drug Testing Laboratories*. United Nations Publications.
- VandenBos, G. R. (2007). APA Dictionary of Psychology. Retrieved September 20, 2019, from American Psychological Association website: <https://dictionary.apa.org/>